Hellenic Accreditation System

Annex F1/4 t[ESYD]ate No. **1290**-2

SCOPE of ACCREDITATION

of the

Testing Laboratory

General Chemical Laboratory for Research and Analyses "Pasias – Raptopoulou"

Tested Materials/Products	Types of test / Properties measured	Applied methods / Techniques used
Chemical Tests		
1. Water (drinking)	1. Determination of Conductivity	*Internal method* MD-01-02
	2. Determination of pH	*Internal method* MD-01-01
	3. Determination of Sulfates	*Internal method* MD-01-03
	4. Determination of Nitrites	*Internal method* (photometric) MD-01-04
	5. Determination of Chloride	*Internal method* (volumetric, based on the Mohr method) MD-01-05
2. Honey	1. Determination of Conductivity	IHC 2009
	2. Determination of Moisture	In-house method MΔ-03-01 based on IHC 2009
	3. Determination of HMF	IHC 2009 (White)
	4. Determination of diastase activity	*Internal method* MD-03-04
3. Olive oil	1. Determination of acidity	*In-house method* based on COI/T.20/Doc No34
	2. Determination of Moisture K232, K268, ΔK	*In-house method* based on COI/T.20/Doc No19

Site of assessment: Permanent laboratory premises - **Timfristou 181, Lamia**
Approved signatories: **K. Raptopoulou, I. Pasias**

This scope of Accreditation replaces the previous one, dated 27.06.2025.
The Accreditation Certificate No. **1290**-2, according to ELOT EN ISO/IEC 17025:2017, has been renewed until 06.04.2031.

Athens, 9th of March 2026

Konstantinou Evangelos Apostolos
CEO of ESYD